



CWS/CMS Folded Keys
DB Release for R6.3



Deleted: Thru Release 6.3

Foreign Keys Not Starting with 'FK' (Folded Keys)

TABLE	DPD	FOLDED KEY	KEY CODE	CODE VALUES
<u>AAPPBAST</u>	<u>0570</u>	<u>PROVD_BYID</u>	<u>PROVD_BYCD</u>	O = Collateral P = Placement Home V = Service Provider
ADDRS_UC	N/A	PKTBL_ID	SRCTBL_CD	A = Address R = Archived Address
ADCHCL_T	0369	CUST_W_ID	CUST_W_CD	A = Adoption Agency O = CWS Office
ADR_PHNT	N/A	PRMRY_NMID	PRMRY_NMCD	A = Address R = Archived Address P = Placement Home Address
APASG_AT	N/A	ESTB_FORID	ESTB_FORCD	C = Case F = Family Case Plan Episode P = Report to Court R = Referral
APASG_AT	N/A	ESTBLSH_ID	ESTBLSH_CD	C = Case R = Referral
ASGNM_T	0031	ESTBLSH_ID	ESTBLSH_CD	A = Archive Case C = Case R = Referral
ASOCDOCT	0507	EST_FOR_ID	EST_FOR_CD	H = Hearing A = Relative/NREFM Assessment N = Notice of Hearing
ASOCDOCT	0507	EST_OTH_ID	EST_OTH_CD	C = Client L = Long Text O = Out of Home Placement
ASSESMNT	0035	ATTCH_1_ID ATTCH_2_ID	ATTCH_TOCD	F = Family Case Plan Episode C = Case Plan Children Detail (paired key)
BKGRCHKT	0525	RCPNT_ID	RCPNT_CD	S = Substitute Care Provider O = Other Adults H = Other Children
CIT_SUBT	0075	DELV_TO_ID	RECIPNT_CD	C = Client I = Collateral Individual R = Reporter S = Substitute Care Provider V = Service Provider F = Client (RTS 3698 - for self-reporter (9/96 drop))
CLA_PHNT	N/A	PRMRY_NMID	PRMRY_NMCD	C = Clearance Adult N = Other Clearance Adult Name
CLINT_UC	N/A	PKTBL_ID	SRCTBL_CD	A = Archived Client C = Client N = Other Client Name O = Archived Other Client Name <i>(Types "N" and "O" should actually have two folded key fields since their related primary key is a paired key.)</i>
CLRAD_UC	N/A	PKTBL_ID	SRCTBL_CD	C = Clearance Adult O = Other Clearance Adult Name



CWS/CMS Folded Keys
DB Release for R6.3



Deleted: Thru Release 6.3

TABLE	DPD	FOLDED KEY	KEY CODE	CODE VALUES
CLT_PHNT	N/A	PRMRY_NMID	PRMRY_NMCD	A = Archived Client C = Client N = Other Client Name O = Archived Other Client Name <i>(Types "N" and "O" should actually have two folded key fields since their related primary key is a paired key.)</i>
CLSCP_ET	0468	ESTBLSH_ID	ESTBLSH_CD	C = Client S = Substitute Care provider
CNTYOWNT	N/A	ENTITY_ID	ENTITY_CD	A = Address C = Client E = Education Provider F = Foreign Address G = Group Home Org. I = Collateral Individual K = Case J = Court P = Placement Home R = Referral S = Substitute Care Provider T = Attorney V = Service Provider
DELETEDT	N/A	DELETE_ID	DELETE_CD	C = Case (RTS 6030 - No MACRO) R = Referral (RTS 6030 - No MACRO) L = Client (RTS 6030 - No MACRO)
DL_SVC_T	0029	PROVD_BYID	PROVD_BYCD	<u>O = Collateral</u> S = Staff Person V = Service Provider
<u>EM_CNT_T</u>	<u>0567</u>	<u>ESTBLSH_ID</u>	<u>ESTBLSH_CD</u>	<u>P = Placement Home</u> <u>G = Group Home Organization</u> <u>N = Non-Foster Care Placement</u>
FRG_ADRT	0116	PRMY_ADRID	PRMY_ADRCD	A = Address <u>E = Emergency Contact Information</u> G = Group Home Organization I = Collateral Individual N = Non Foster Care Placement O = Out of State Contact Party P = Placement Home S = Substitute Care Provider Y = Placement Home (Payee)
HRG_ATNT	0080	ATTNDEE_ID RPRSNTD_ID ASSCTHRDID (ASSOC1_ID ASSOC2_ID were replaced RTS 2936)	PRTCPNT_CD	A = Attorney (CWS) C = Client L = Client Attorney (triplet key) P = Substitute Care Provider Attorney (triplet key) F = Regular Staff Person

Formatted: Font: Not Bold



CWS/CMS Folded Keys



DB Release for R6.3

Deleted: Thru Release 6.3

TABLE	DPD	FOLDED KEY	KEY CODE	CODE VALUES
IDV_SVCT	0119	DEL_IDV_ID	DEL_IDV_CD	A = Attorney C = Client O = Collateral Individual P = Service Provider R = Reporter S = Substitute Care Provider T = Staff Person (RTS 6021 - Update F0119) U = Out of State Contact Party (RTS 6021 - Update F0119)
JV135DAT	0535	ESTBLSH_ID	ESTBLSH_CD	C - Client T - Tribal Organization
MRXREF_T	N/A	DELOBJ_ID	MERGOBJ_CD	A = Attorney E = Education Provider P = Placement Home S = Service Provider
MRXREF_T	N/A	KEPTOBJ_ID	MERGOBJ_CD	A = Attorney E = Education Provider P = Placement Home S = Service Provider
<u>PH_CNT_T</u>	<u>0565</u>	<u>ESTBLSH_ID</u>	<u>ESTBLSH_CD</u>	<u>S = Sub Care Provider</u>
<u>PL_SVCAT</u>	<u>0139</u>	<u>PROVD_BYID</u>	<u>PROVD_BYCD</u>	<u>O = Collateral</u> <u>S = Staff Person</u> <u>V = Service Provider</u>
PLC_CNT	0534	ESTBLSH_ID	ESTBLSH_CD	D = Adoptive Placement O = Out of Home Placement
PLC_EPST	0024	RMV_BY_ID RMVCR1_ID RMVCR2_ID	RMV_BY_CD RMVCR1_CD RMVCR2_CD	C = Client I = Collateral Individual S = Staff Person
PLC_HM_T	0137	OPRTD_BYID	OPRTD_BYCD	F = Placement Home G = Group Home Organization
PTRNYDET	0148	PRMY_IDVID	PRMY_IDVCD	C = Client I = Collateral Individual
SPV_APVT	0190	ESTB_FORID	ESTB_FORCD	C = Case F = Family Case Plan Episode R = Referral P = Report to Court (RTS 4758 - Update F0190)
<u>SUB_ABST</u>	<u>0569</u>	<u>ESTBFOR1ID</u> <u>ESTBFOR2ID</u>	<u>ESTBFORCD</u>	<u>R = Referral Client (paired key)</u> <u>S = Secondary Reason for Removal</u>



TABLE	DPD	FOLDED KEY	KEY CODE	CODE VALUES
TICKLE_T	0176	AFTBY_CRID AFTBY_OTID AFCTD_THID	AFCTD_BYCD	<p>C = Case CC = Case - Client (paired key) CE = Case - AFDC FC Eligibility (paired key) CG = Case - Tribal Organization (paired key) CH = Case - Hearing (paired key) CO = Case - Out of Home Placement (paired key) CP = Case - Placement Home (paired key) CT = Case - Temporary Leave (paired key) R = Referral RE = Referral - AFDC FC Eligibility (paired key) RH = Referral - Placement Home (paired key) (RTS 2788) RL = Referral - Referral Client (paired key) RO = Referral - Out of Home Placement (paired key) (RTS2788) RP = Referral - Reporter (paired key) <i>(make a single key since Reporter no longer has an Identifier?)</i> RT = Referral - Temporary Leave (paired key) UC = Userid - Archive Case (triplet key) when requesting restore OR =Userid - Case (triplet key) when restored UL = Userid - Archive Client (triplet key) when requesting restore OR = Userid - Client(triplet key) when restored UR = Userid - Archive Referral(triplet key) when requesting restore OR Userid - Referral(triplet key) when restored</p> <p>Note for UL, UC, UR, the third part of the key (AFCTD_THID) contains Identifier of ARC_RTGT No RI macros are built for UL, UC, UR since tickles are created/deleted at host.</p>



OTHER FOREIGN KEYS (Not Folded)

TABLE	DPD	FOREIGN KEY	PARENT TABLE	IN SCOPE?	COMMENTS
ARCASE_T	N/A	STFPERSP	STFPERST	Y	
ARCASE_T	N/A	CWS_OFFP	CWS_OFFT	Y	
ARC_REFT	N/A	STFPERSP	STFPERST	Y	
ARC_REFT	N/A	CWS_OFFP	CWS_OFFT	Y	
ATTNY_UC	N/A	PKATTRNY_T	ATTRNY_T	Y	
ASSESMNT	0035	DOCMNT_DOC	DRMSDOCT	Y	
BIRTHIST	0456	MTRNL_TXT	LONG_TXT	Y	New Attribute
BIRTHIST	0456	PTRNL_TXT	LONG_TXT	Y	New Attribute
BIRTHIST	0456	PNATAL_TXT	LONG_TXT	Y	New Attribute
BULLTN_T	0132	MESSG1_TXT	LONG_TXT	Y	
BULLTN_T	0132	MESSG2_TXT	LONG_TXT	Y	
CASE_HRT	0040	RESULT_TXT	LONG_TXT	Y	New attribute
CASE_T	0042	CL_STM_TXT	LONG_TXT	Y	
CASE_T	0042	NOTES_DOC	DRMSDOCT	Y	
CASE_T	0042	APRVL_NO	SPV_APVT	Y	RTS 3333
CASE_T	0042	ALERT_TXT	LONG_TXT	Y	RTS 5848 – Update T0042)
CHLD_CLT	0070	CURNT_CSID	CASE_T	Y	
CHLD_CLT	0070	VOL_PLCDOC	DRMSDOCT	Y	
CHLD_CLT	0070	HEPDOG_OLD	DRMSDOCT	Y	Rename HEP_DOC to HEPDOC_OLD
CHLD_CLT	0070	DRMSHEPDOG	DRMSDOCT	Y	New attribute
CL_CONDT	0049	HEALTH_TXT	LONG_TXT	Y	New Attribute
CL_CONDT	0049	TPLAN_TXT	LONG_TXT	Y	New Attribute
CLIENT_T	0017	DTH_RN_TXT	LONG_TXT	Y	
CLIENT_T	0017	HEALTH_TXT	LONG_TXT	Y	New Attribute
CLSR_DET	0027	ACTION_TXT	LONG_TXT	Y	Nofulladr
CLSR_DET	0027	ACTRSL_TXT	LONG_TXT	Y	Nofulladr
CSCLHIST	0552	CL_STM_TXT	LONG_TXT	Y	New Attribute (SCR 8110 SC)
CSPL_PNT	0180	REASON_TXT	LONG_TXT	Y	New Attribute (SCR 7815)
DCL_DDLT	0084	DOCMNT_DOC	DRMSDOCT	N	Still descoped
DL_SVC_T	0029	DETAIL_TXT	LONG_TXT	Y	
DL_SVC_T	0029	DTL2_TXT	LONG_TXT	Y	RTS 6023 – Update T0029
ED_ENRLT	0089	SP_ED_TXT	LONG_TXT	Y	New Attribute
EDC_RECT	0088	SMRY_TXT	LONG_TXT	Y	
EDPVD_UC	N/A	PKEDPVDRT	ED_PVDRT	Y	
EXMP_DCT	0091	CONDNT_DOC	DRMSDOCT	Y	
FCLTY_UC	N/A	PKFACLT_T	FACLT_T	Y	
FCPL_EPT	0045	CS_PLN_DOC	DRMSDOCT	Y	
FCPL_EPT	0045	APRVL_NO	SPV_APVT	Y	RTS 3333
FCPL_EPT	0045	REASON_TXT	LONG_TXT	Y	New Attribute
FMY_STRT	0099	DETAIL_TXT	LONG_TXT	Y	New Attribute
GRHMO_UC	N/A	PKGRHM_OGT	GRHM_OGT	Y	
HEARNG_T	0108	CT_SUM_DOC	DRMSDOCT	Y	
HOSPLZ_T	0459	HOSP_TXT	LONG_TXT	Y	New Attribute
ICPC_RQT	0115	ICPCLT_DOC	DRMSDOCT	Y	Nofulladr
ICPC_RQT	0115	ICPCA_DOC	DRMSDOCT	Y	New attribute



CWS/CMS Folded Keys
DB Release for R6.3



Deleted: Thru Release 6.3

TABLE	DPD	FOREIGN KEY	PARENT TABLE	IN SCOPE?	COMMENTS
ICPCSTAT	0044	ICPCB_DOC	DRMSDOCT	Y	New attribute
INCD_PMT	0121	APRVL_NO	SPV_APVT	Y	RTS 3333
O_HM_PLT	0021	AFDC_PRDOC	DRMSDOCT	Y	
O_HM_PLT	0021	AGNFP_ADOC	DRMSDOCT	Y	
O_HM_PLT	0021	AGNGH_ADOC	DRMSDOCT	Y	
O_HM_PLT	0021	SIBPLC_TXT	LONG_TXT	Y	
O_HM_PLT	0021	SCPROX_TXT	LONG_TXT	Y	
O_HM_PLT	0021	SOC158_DOC	DRMSDOCT	Y	
O_HM_PLT	0021	APRVL_NO	SPV_APVT	Y	RTS 3333
O_HM_PLT	0021	EXT_APVNO	SPV_APVT	Y	RTS 3333
ONPMTRQT	0131	APRVL_NO	SPV_APVT	Y	RTS 3333
PART_FCT	0064	DETAIL_TXT	LONG_TXT	Y	New Attribute
PETITN_T	0135	DOCMNT_DOC	DRMSDOCT	N	
PL_SVCAT	0139	DETAIL_TXT	LONG_TXT	Y	RTS 5235 - New T0139
PL_SVCAT	0139	DTL2_TXT	LONG_TXT	Y	New Attribute
PLC_HM_T	0137	PRM_SUBSID	SB_PVDRT	Y	Needed for R1 and R2 - RTS 3036 Note: R2 has M0137 and F0137 Need to build M0137
PLCHM_UC	N/A	PKPLC_HMT	PLC_HM_T	Y	
RAP_UC	N/A	PKRAP_T PKRAP_0	RAP_T	Y	
REFERL_T	0010	ALGDSC_DOC	DRMSDOCT	Y	
REFERL_T	0010	CHILOC_TXT	LONG_TXT	Y	
REFERL_T	0010	ER_REF_DOC	DRMSDOCT	Y	
REFERL_T	0010	INVSTG_DOC	DRMSDOCT	Y	
REFERL_T	0010	RSP_RTNTXT	LONG_TXT	Y	
REFERL_T	0010	SCN_NT_TXT	LONG_TXT	Y	
REFERL_T	0010	APRVL_NO	SPV_APVT	Y	RTS 3333
REPTR_T	0011	FDBACK_DOC	DRMSDOCT	Y	
REFR_CLT	0012	APRVL_NO	SPV_APVT	Y	RTS 3333
RPT_CRT	0152	DOCMNT_DOC	DRMSDOCT	Y	(Nofulladr)
RPT_CRT	0152	APRVL_NO	SPV_APVT	Y	RTS 3333
RV_HRT	0411	RESULT_TXT	LONG_TXT	Y	New attribute
SBPVD_UC	N/A	PKSB_PVDRT	SB_PVDRT	Y	
<u>SAF_ALRT</u>	<u>0563</u>	<u>ACTV_TXT</u>	<u>LONG_TXT</u>	<u>Y</u>	<u>SCR 7962 - New T0563</u>
<u>SAF_ALRT</u>	<u>0563</u>	<u>DACT_TXT</u>	<u>LONG_TXT</u>	<u>Y</u>	<u>SCR 7962 - New T0563</u>
SRVPD_UC	N/A	PKSVC_PVRT	SVC_PVRT	Y	
STFPR_UC	N/A	PKSTFPERST	STFPERST	Y	
SVC_OBJT	0165	STMNT_TXT	LONG_TXT	Y	RTS 5235 - New T0165
SVC_OBJT	0165	PROG_TXT	LONG_TXT	Y	New Attribute
SVC_OBJT	0165	PROG2_TXT	LONG_TXT	Y	New Attribute
SYS_CD_C	0173	CATEGORYID	SYS_CD_C	Y	
TICKLE_T	0176	NOTE_TXT	LONG_TXT	Y	
TR_MBVRT	0028	SOC318_DOC	DRMSDOCT	Y	
TRNS_RQT	0060	APRVL_NO	SPV_APVT	Y	RTS 3333
USER_UC	N/A	PKUSERID_T	USERID_T	Y	



Module Naming Convention:

XYYYYY – Where;
X = D for documents, F for folded keys, M for miscellaneous, and T for text.
YYYYY = the DAP number.

Change Log:

- RTS # 1353 removed PMT_RSNT table which had a paired folded key.
- 08/13/2002 – Added folded key for table ADCHCL_T (RTS 7707) and table ASOCDOCT (RTS 7707) per Release 5.2.
- 10/19/2004 – Updated for Release 5.4 RA: Added folded key for table BKGRCHK (SCR 7768) updated Code Values for ASOCDOCT.
- 10/19/2004 – Updated for Release 5.4 CPUR: Added folded key for table APASG_AT (SCR 7974).
- 12/28/2004 – For the APASG_AT table, corrected the order of the folded-key and the keycode columns. The two columns needed to be swapped. This was per State’s request so information can be posted to a website. – TJA
- 06/07/2005 – Updated for Release 5.5PIP: Added folded key for tables PLC_CNT (SCR 7815-Placement) and JV135DAT (SCR 7815 ICWA). Added new Reason_Txt for CSPL_PNT.
- 03/01/2007 – Updated for Release 6.1: Added new Other CL_STM_TXT for CSCLHIST (SCR 8110 SC)
- 03/31/2008 – Release 6.2 did not include any new Folded Keys; No changes to document.
- 06/09/2008 – Update to remove inconsistencies per PTS 23223 (Rel 6.2.0): Deleted the code value "O = Office" from the list of code values for CNTYOWNT.ENTITY_CD attribute; deleted the code value "T = Court Officer Staff Person" from the list of code values for HRG_ATNT.PRTCNT_CD attribute; updated the code value "S = Regular Staff Person" to "F = Regular Staff Person" from the list of code values for HRG_ATNT.PRTCNT_CD attribute

01/05/2009 – Update for Release 6.3: Added folded keys for tables SUB_ABST (SCR 8258), PH_CNT_T and EM_CNT_T (SCR 8341); AAPPBAST (SCR 8302); PL_SVCAT (SCR 8302); DL_SVC_T (SCR 8302); Added new ACTV_TXT and DACT_TXT for SAF_ALERT.

08/26/2009 – Updated the Revised Date in Document Footer to 08/26/2009.

- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt
- Formatted: Font: 10 pt